


WH

Sinker

WH



Sinker Light

The Sinker ceiling and pendant lamp combines simple lines and form with a matt finish and produces a direct light.

Attention

Ensure that the power supply to the circuit has been turned OFF before installing the product. In some countries electrical installation must be carried out by authorised electricians/contractors; please check with your local authority for guidance. The product must not be modified in any way. WFH accepts no responsibility for any products that have been modified or tampered with.

If the trailing cable on this product becomes damaged it should be replaced immediately by qualified personnel to ensure there is no further danger to the user.

Technical Data



This product is supplied with an E27 LED Bulb. Replacement bulbs must be the same type as that supplied with the product. WFH will not accept any responsibility for any accidents or injury that occurs due to the use of incorrect bulbs.

Cleaning Instructions

Ensure that the power supply has been turned OFF before cleaning the product. The product can be cleaned with a soft damp cloth and mild detergent.


Do not use alcohol or any other solvents to clean the product.

Parts List




Step 01

Remove the reflector from inside the shade.




Step 02

Mark the holes for mounting, and ensure that it is possible to feed the cables through the dedicated hole.




Step 03

Drill holes and insert wall plugs. Ensure you use the correct type of wall plug for the material you are a drilling into.



Step 04


Screw the shade into the ceiling and feed the cables through into the shade.




Step 05

Ensure Power is switched off!

Open the connector box and feed the mains supply cable through the insulating tube into the connector box. Connect the mains supply cables to the corresponding cables on the light. Close and secure the connector box making sure that the insulating tube covers the wire supply from the ceiling.




Please note: It is recommended that a qualified electrician connects the power in this step.





Step 06

Once cables are connected, push the connector box upwards, so that the insulating tube is positioned inside the ceiling cavity.





Step 07

Replace reflector and secure inside the shade. You can now fit the bulb inside the lamp holder.



Step 08

Fit the diffuser by aligning the tabs on the inside of the shade and the recesses on the diffuser. Hold the shade in one hand and use the other to twist the diffuser until secure.



Contact:

34 Queen Anne's Gate,
SW1H 9AB London, UK
info@wrongforhay.com
wrongforhay.com