
PH ARTICHOKE



Design:
Poul Henningsen

Concept:
The fixture provides 100% glare-free light. The 72 precisely positioned leaves form 12 unique rows of six leaves each. They illuminate the fixture as well as emitting diffused light with a unique pattern. The fixture provides decorative and comfortable lighting. For the energy saving LED variant the quality of light and atmosphere surrounding the product is kept at the highest level.

Finish:
Copper or stainless steel, brushed and coated. White, wet painted. Polished stainless steel: Polished.

Weight:
Min: 4.8 kg Max: 27.8 kg

Class:
Ingress protection IP20. Electric shock protection I w. ground.

Info notes:
For LED replacement kits please do contact Louis Poulsen. The innovation of the LED technology is constant. The specifications mentioned are based on present technology. Please find updated information on products on our website www.louispoulsen.com.

Specification notes:
150W HIT is only available in Ø 720 or Ø 840.
500W E40 only available in Ø 600, Ø 720 or Ø 840.
200W E27 is only available in Ø 480. The

Material:

Leaves: Punched copper, laser cut stainless steel or punched steel. Top shade: White, spun steel.
 Frame: High lustre chrome plated, laser cut steel.
 Suspension: High lustre chrome plated, spun aluminium.

innovation of light sources is ongoing.

Consequently we only inform about the max. wattages. On www.louispoulsen.com we update a list of recommendable light sources.

Mounting:

Suspension type: Cable 3x0,75mm² & wire.
 Canopy: Yes. Cable length: 4m.

Results (100)

DIMENSIONS	CCT/WATT/ LUMEN	LIGHT SOURCE	FINISH	CABLE TYPE	PLUG	LIGHTING CONTROL	EFFICACY	ORDER- NO.	
Ø 480	-	1X200W E27	COPPER	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092123	>
Ø 480	-	1X200W E27	STAINL STEEL	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092136	>
Ø 480	-	1X200W E27	WHT	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092149	>
Ø 480	-	1X200W E27	STAINL STEEL POLISH	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741097788	>
Ø 600	-	1X230W HALOLUX E27	WHT	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092398	>
Ø 600	-	1X230W HALOLUX E27	COPPER	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092408	>
Ø 600	-	1X230W HALOLUX E27	STAINL STEEL	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092411	>
Ø 600	-	1X230W HALOLUX E27	STAINL STEEL POLISH	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741097801	>
Ø 600	-	1X500W E40	WHT	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092152	>
Ø 600	-	1X500W E40	COPPER	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092165	>
Ø 600	-	1X500W E40	STAINL STEEL	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092178	>
Ø 600	-	1X500W E40	STAINL STEEL POLISH	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741097791	>
Ø 600	2700K 96.0 2151	96WLED 2700K	STAINL STEEL	WHT TEX/WRE	EXT. DRIVER	DIM 1-10V	22	5741096242	>
Ø 600	2700K 96.0 2151	96WLED 2700K	STAINL STEEL	WHT TEX/WRE	EXT. DRIVER	DALI	22	5741096255	>
Ø 600	2700K 96.0 2151	96WLED 2700K	STAINL STEEL	WHT TEX/WRE	INT. DRIVER	DIM 1-10V	22	5741096268	>
Ø 600	2700K 96.0 2151	96WLED 2700K	STAINL STEEL	WHT TEX/WRE	INT. DRIVER	DALI	22	5741096271	>
Ø 600	2700K 96.0 2151	96WLED 2700K	STAINL STEEL POLISH	WHT TEX/WRE	EXT. DRIVER	DIM 1-10V	22	5741097814	>
Ø 600	2700K 96.0 2151	96WLED 2700K	STAINL STEEL POLISH	WHT TEX/WRE	EXT. DRIVER	DALI	22	5741097827	>

LIST

Ø 600	2700K 96.0 2151	96WLED 2700K	STAINL STEEL POLISH	WHT TEX/WRE	INT. DRIVER	DIM 1-10V	22	5741097830	>
Ø 600	2700K 96.0 2151	96WLED 2700K	STAINL STEEL POLISH	WHT TEX/WRE	INT. DRIVER	DALI	22	5741097843	>
Ø 600	2700K 96.0 2362	96WLED 2700K	COPPER	WHT TEX/WRE	EXT. DRIVER	DIM 1-10V	25	5741096323	>
Ø 600	2700K 96.0 2362	96WLED 2700K	COPPER	WHT TEX/WRE	EXT. DRIVER	DALI	25	5741096336	>
Ø 600	2700K 96.0 2362	96WLED 2700K	COPPER	WHT TEX/WRE	INT. DRIVER	DIM 1-10V	25	5741096349	>
Ø 600	2700K 96.0 2362	96WLED 2700K	COPPER	WHT TEX/WRE	INT. DRIVER	DALI	25	5741096352	>
Ø 600	2700K 96.0 3272	96WLED 2700K	WHT	WHT TEX/WRE	EXT. DRIVER	DIM 1-10V	34	5741096161	>
Ø 600	2700K 96.0 3272	96WLED 2700K	WHT	WHT TEX/WRE	EXT. DRIVER	DALI	34	5741096174	>
Ø 600	2700K 96.0 3272	96WLED 2700K	WHT	WHT TEX/WRE	INT. DRIVER	DIM 1-10V	34	5741096187	>
Ø 600	2700K 96.0 3272	96WLED 2700K	WHT	WHT TEX/WRE	INT. DRIVER	DALI	34	5741096190	>
Ø 600	3000K 96.0 2253	96WLED 3000K	STAINL STEEL	WHT TEX/WRE	EXT. DRIVER	DIM 1-10V	23	5741096284	>
Ø 600	3000K 96.0 2253	96WLED 3000K	STAINL STEEL	WHT TEX/WRE	EXT. DRIVER	DALI	23	5741096297	>
Ø 600	3000K 96.0 2253	96WLED 3000K	STAINL STEEL	WHT TEX/WRE	INT. DRIVER	DIM 1-10V	23	5741096307	>
Ø 600	3000K 96.0 2253	96WLED 3000K	STAINL STEEL	WHT TEX/WRE	INT. DRIVER	DALI	23	5741096310	>
Ø 600	3000K 96.0 2253	96WLED 3000K	STAINL STEEL POLISH	WHT TEX/WRE	EXT. DRIVER	DIM 1-10V	23	5741097856	>
Ø 600	3000K 96.0 2253	96WLED 3000K	STAINL STEEL POLISH	WHT TEX/WRE	EXT. DRIVER	DALI	23	5741097869	>
Ø 600	3000K 96.0 2253	96WLED 3000K	STAINL STEEL POLISH	WHT TEX/WRE	INT. DRIVER	DIM 1-10V	23	5741097872	>
Ø 600	3000K 96.0 2253	96WLED 3000K	STAINL STEEL POLISH	WHT TEX/WRE	INT. DRIVER	DALI	23	5741097885	>
Ø 600	3000K 96.0 2474	96WLED 3000K	COPPER	WHT TEX/WRE	EXT. DRIVER	DIM 1-10V	26	5741096365	>
Ø 600	3000K 96.0 2474	96WLED 3000K	COPPER	WHT TEX/WRE	EXT. DRIVER	DALI	26	5741096378	>
Ø 600	3000K 96.0 2474	96WLED 3000K	COPPER	WHT TEX/WRE	INT. DRIVER	DIM 1-10V	26	5741096381	>
Ø 600	3000K 96.0 2474	96WLED 3000K	COPPER	WHT TEX/WRE	INT. DRIVER	DALI	26	5741096394	>
Ø 600	3000K 96.0 3427	96WLED 3000K	WHT	WHT TEX/WRE	EXT. DRIVER	DIM 1-10V	36	5741096200	>
Ø 600	3000K 96.0 3427	96WLED 3000K	WHT	WHT TEX/WRE	EXT. DRIVER	DALI	36	5741096213	>
Ø 600	3000K 96.0 3427	96WLED 3000K	WHT	WHT TEX/WRE	INT. DRIVER	DIM 1-10V	36	5741096226	>
Ø 600	3000K 96.0 3427	96WLED 3000K	WHT	WHT TEX/WRE	INT. DRIVER	DALI	36	5741096239	>
Ø 720	-	1X150WHIT G12 HF	WHT	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092275	>
Ø 720	-	1X150WHIT G12 HF	COPPER	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092288	>
Ø 720	-	1X150WHIT G12 HF	STAINL STEEL	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092291	>

Ø 720	-	1X150WHIT G12 HF	STAINL STEEL POLISH	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741097911	>
Ø 720	-	1X230W HALOLUX E27	WHT	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092424	>
Ø 720	-	1X230W HALOLUX E27	COPPER	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092437	>
Ø 720	-	1X230W HALOLUX E27	STAINL STEEL	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092440	>
Ø 720	-	1X230W HALOLUX E27	STAINL STEEL POLISH	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741097908	>
Ø 720	-	1X500W E40	WHT	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092217	>
Ø 720	-	1X500W E40	COPPER	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092220	>
Ø 720	-	1X500W E40	STAINL STEEL	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092233	>
Ø 720	-	1X500W E40	STAINL STEEL POLISH	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741097898	>
Ø 720	3000K 96.0 2499	96WLED 3000K	STAINL STEEL	WHT TEX/WRE	EXT. DRIVER	DIM 1-10V	26	5741095803	>
Ø 720	3000K 96.0 2499	96WLED 3000K	STAINL STEEL	WHT TEX/WRE	EXT. DRIVER	DALI	26	5741095816	>
Ø 720	3000K 96.0 2499	96WLED 3000K	STAINL STEEL	WHT TEX/WRE	INT. DRIVER	DIM 1-10V	26	5741095829	>
Ø 720	3000K 96.0 2499	96WLED 3000K	STAINL STEEL	WHT TEX/WRE	INT. DRIVER	DALI	26	5741095832	>
Ø 720	3000K 96.0 2499	96WLED 3000K	STAINL STEEL POLISH	WHT TEX/WRE	EXT. DRIVER	DIM 1-10V	26	5741097924	>
Ø 720	3000K 96.0 2499	96WLED 3000K	STAINL STEEL POLISH	WHT TEX/WRE	INT. DRIVER	DIM 1-10V	26	5741097937	>
Ø 720	3000K 96.0 2499	96WLED 3000K	STAINL STEEL POLISH	WHT TEX/WRE	EXT. DRIVER	DALI	26	5741097940	>
Ø 720	3000K 96.0 2499	96WLED 3000K	STAINL STEEL POLISH	WHT TEX/WRE	INT. DRIVER	DALI	26	5741097953	>
Ø 720	3000K 96.0 2879	96WLED 3000K	COPPER	WHT TEX/WRE	EXT. DRIVER	DIM 1-10V	30	5741095845	>
Ø 720	3000K 96.0 2879	96WLED 3000K	COPPER	WHT TEX/WRE	EXT. DRIVER	DALI	30	5741095858	>
Ø 720	3000K 96.0 2879	96WLED 3000K	COPPER	WHT TEX/WRE	INT. DRIVER	DIM 1-10V	30	5741095861	>
Ø 720	3000K 96.0 2879	96WLED 3000K	COPPER	WHT TEX/WRE	INT. DRIVER	DALI	30	5741095874	>
Ø 720	3000K 96.0 3362	96WLED 3000K	WHT	WHT TEX/WRE	EXT. DRIVER	DIM 1-10V	35	5741095764	>
Ø 720	3000K 96.0 3362	96WLED 3000K	WHT	WHT TEX/WRE	EXT. DRIVER	DALI	35	5741095777	>
Ø 720	3000K 96.0 3362	96WLED 3000K	WHT	WHT TEX/WRE	INT. DRIVER	DIM 1-10V	35	5741095780	>
Ø 720	3000K 96.0 3362	96WLED 3000K	WHT	WHT TEX/WRE	INT. DRIVER	DALI	35	5741095793	>
Ø 840	-	1X150WHIT G12 HF	WHT	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092369	>
Ø 840	-	1X150WHIT G12 HF	COPPER	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092372	>
Ø 840	-	1X150WHIT	STAINL	WHT	NOT	NONE	-	5741092385	>

		G12 HF	STEEL	TEX/WRE	APPLICABLE			5741092383	>
Ø 840	-	1X150WHIT G12 HF	STAINL STEEL POLISH	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741097982	>
Ø 840	-	1X230W HALOLUX E27	WHT	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092453	>
Ø 840	-	1X230W HALOLUX E27	COPPER	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092466	>
Ø 840	-	1X230W HALOLUX E27	STAINL STEEL	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092479	>
Ø 840	-	1X230W HALOLUX E27	STAINL STEEL POLISH	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741097979	>
Ø 840	-	1X500W E40	WHT	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092301	>
Ø 840	-	1X500W E40	COPPER	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092314	>
Ø 840	-	1X500W E40	STAINL STEEL	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741092327	>
Ø 840	-	1X500W E40	STAINL STEEL POLISH	WHT TEX/WRE	NOT APPLICABLE	NONE	-	5741097966	>
Ø 840	3000K 96.0 2499	96WLED 3000K	STAINL STEEL	WHT TEX/WRE	EXT. DRIVER	DIM 1-10V	26	5741095968	>
Ø 840	3000K 96.0 2499	96WLED 3000K	STAINL STEEL	WHT TEX/WRE	EXT. DRIVER	DALI	26	5741095971	>
Ø 840	3000K 96.0 2499	96WLED 3000K	STAINL STEEL	WHT TEX/WRE	INT. DRIVER	DIM 1-10V	26	5741095984	>
Ø 840	3000K 96.0 2499	96WLED 3000K	STAINL STEEL	WHT TEX/WRE	INT. DRIVER	DALI	26	5741095997	>
Ø 840	3000K 96.0 2499	96WLED 3000K	STAINL STEEL POLISH	WHT TEX/WRE	EXT. DRIVER	DIM 1-10V	26	5741097995	>
Ø 840	3000K 96.0 2499	96WLED 3000K	STAINL STEEL POLISH	WHT TEX/WRE	INT. DRIVER	DIM 1-10V	26	5741098004	>
Ø 840	3000K 96.0 2499	96WLED 3000K	STAINL STEEL POLISH	WHT TEX/WRE	EXT. DRIVER	DALI	26	5741098017	>
Ø 840	3000K 96.0 2499	96WLED 3000K	STAINL STEEL POLISH	WHT TEX/WRE	INT. DRIVER	DALI	26	5741098020	>
Ø 840	3000K 96.0 2879	96WLED 3000K	COPPER	WHT TEX/WRE	EXT. DRIVER	DIM 1-10V	30	5741096006	>
Ø 840	3000K 96.0 2879	96WLED 3000K	COPPER	WHT TEX/WRE	EXT. DRIVER	DALI	30	5741096019	>
Ø 840	3000K 96.0 2879	96WLED 3000K	COPPER	WHT TEX/WRE	INT. DRIVER	DIM 1-10V	30	5741096022	>
Ø 840	3000K 96.0 2879	96WLED 3000K	COPPER	WHT TEX/WRE	INT. DRIVER	DALI	30	5741096035	>
Ø 840	3000K 96.0 3362	96WLED 3000K	WHT	WHT TEX/WRE	EXT. DRIVER	DIM 1-10V	35	5741095926	>
Ø 840	3000K 96.0 3362	96WLED 3000K	WHT	WHT TEX/WRE	EXT. DRIVER	DALI	35	5741095939	>
Ø 840	3000K 96.0 3362	96WLED 3000K	WHT	WHT TEX/WRE	INT. DRIVER	DIM 1-10V	35	5741095942	>
Ø 840	3000K 96.0 3362	96WLED 3000K	WHT	WHT TEX/WRE	INT. DRIVER	DALI	35	5741095955	>

SPAREPART

PRODUCT NAME:	ORDERING NUMBER:
PH ARTICHOKE Ø480 CANOPY WHT	5741086223
PH ARTICHOKE/LOUVRE/LP CENTRUM CANOPY	5741480272

SUSPENSION

PRODUCT NAME:	ORDERING NUMBER:
PH ART 720/840 SUSP LED-D 3K WINT DRV	5741095612
PH ART 720/840 SUSP LED-DA 3K WINT DRV	5741095625
PH ART 720/840 SUSP LED-D 3K WEXT DRV	5741095638
PH ART 720/840 SUSP LED-DA 3K WEXT DRV	5741095641
PH ART Ø600 SUSP LED-D 27K EXT/DRV	5741096080
PH ART Ø600 SUSP LED-DA 27K EXT/DRV	5741096093
PH ART Ø600 SUSP LED-D 27K INT/DRV	5741096103
PH ART Ø600 SUSP LED-DA 27K INT/DRV	5741096116
PH ART Ø600 SUSP LED-D 3K EXT/DRV	5741096129
PH ART Ø600 SUSP LED-DA 3K EXT/DRV	5741096132
PH ART Ø600 SUSP LED-D 3K INT/DRV	5741096145
PH ART Ø600 SUSP LED-DA 3K INT/DRV	5741096158
PH ART Ø600 SUSP LED-WB 27K INT/DRV	5741098648
PH ART Ø600 SUSP LED-WB 3K INT/DRV	5741098651
PH ART 720/840 SUSP LED-WB 3K WINT DRV	5741098664
PH ART 720/840 SUSP LED-WB 27K WINT DRV	5741098677